metal-organic compounds



Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

catena-Poly[(diaquacadmium)- μ -iminodiacetato- κ^4O ,N,O':O'']

Gang-Hong Pan, Jin-Niu Tang, Zhong-Jing Huang,* Yi-Fan Liao and Bo-Fa Mo

College of Chemistry and Chemical Engineering, Guangxi University for Nationalities, Nanning 530006, People's Republic of China Correspondence e-mail: pgh1919@163.com

Received 25 May 2013; accepted 20 June 2013

Key indicators: single-crystal X-ray study; T = 296 K; mean $\sigma(C-C) = 0.020$ Å; R factor = 0.047; wR factor = 0.164; data-to-parameter ratio = 12.0.

In the title compound, $[Cd(C_4H_5NO_4)(H_2O)_2]_n$, the Cd^{II} atom exhibits a distorted octahedral coordination geometry, defined by one N atom and three O atoms from two iminodiacetate (IDA) ligands and two water molecules. The tridentate IDA ligand additionally bridges via one of its carboxylate O atoms to another Cd^{II} atom, thus forming a zigzag chain along [001]. A three-dimensional network is completed by intermolecular $O-H\cdots O$ and $N-H\cdots O$ hydrogen bonds.

Related literature

For background to Cd^{II} complexes, see: Brusau *et al.* (2001). For related structures, see: Su & Xu (2005); Zhang & Lu (2004).

$$\begin{array}{c|c}
O & H & O & Cd \\
O & Cd & O & OH_2 & D \\
H_2O & OH_2 & D & D & D
\end{array}$$

Experimental

Crystal data

[Cd(C₄H₅NO₄)(H₂O)₂] $M_r = 279.52$ Orthorhombic, $Pca2_1$ a = 14.6600 (3) Å b = 5.4905 (2) Å c = 9.7928 (3) Å $V = 788.23 (4) \text{ Å}^3$ Z = 4 Mo $K\alpha$ radiation $\mu = 2.76 \text{ mm}^{-1}$ T = 296 K $0.22 \times 0.17 \times 0.16 \text{ mm}$

Data collection

Bruker SMART 1000 CCD diffractometer Absorption correction: multi-scan (SADABS; Sheldrick, 1996) $T_{\min} = 0.582$, $T_{\max} = 0.666$

3775 measured reflections 1303 independent reflections 1173 reflections with $I > 2\sigma(I)$ $R_{\rm int} = 0.036$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.047$ $wR(F^2) = 0.164$ S = 1.091303 reflections 109 parameters 1 restraint H-atom parameters constrained $\Delta \rho_{\rm max} = 2.05$ e Å⁻³ $\Delta \rho_{\rm min} = -1.23$ e Å⁻³ Absolute structure: Flack (1983), 566 Friedel pairs Flack parameter: 0.04 (14)

Table 1
Hydrogen-bond geometry (Å, °).

D $ H$ $\cdot \cdot \cdot A$	D-H	$H \cdot \cdot \cdot A$	$D \cdot \cdot \cdot A$	$D-\mathrm{H}\cdots A$
O5-H5A···O1i	0.85	1.84	2.685 (15)	176
$O5-H5B\cdots O6^{ii}$	0.85	2.03	2.880 (15)	176
$O6-H6A\cdots O2^{iii}$	0.85	1.81	2.649 (14)	168
$O6-H6B\cdots O3^{ii}$	0.85	1.91	2.750 (15)	168
$N1-H1\cdots O2^{i}$	0.91	2.05	2.953 (16)	174

Symmetry codes: (i) x, y + 1, z; (ii) $-x, -y + 1, z - \frac{1}{2}$; (iii) $x - \frac{1}{2}, -y, z$.

Data collection: *SMART* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *DIAMOND* (Brandenburg, 1999); software used to prepare material for publication: *SHELXTL* (Sheldrick, 2008).

This work was supported by the Innovation Project of Guangxi University for Nationalities.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HY2628).

References

Brandenburg, K. (1999). *DIAMOND*. Crystal Impact GbR, Bonn, Germany. Bruker (2007). *SMART* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.

Brusau, E. V., Pedregosa, J. C., Narda, G. E., Pozzi, G., Echeverria, G. & Punte, G. (2001). *J. Coord. Chem.* **54**, 469–480.

Flack, H. D. (1983). Acta Cryst. A39, 876-881.

Sheldrick, G. M. (1996). SADABS. University of Göttingen, Germany.

Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.

Su, J.-R. & Xu, D.-J. (2005). J. Coord. Chem. 58, 863-868.

Zhang, Q.-Z. & Lu, C.-Z. (2004). Acta Cryst. E60, m1189-m1190.

supplementary materials

Acta Cryst. (2013). E69, m416 [doi:10.1107/S1600536813017121]

catena-Poly[(diaguacadmium)- μ -iminodiacetato- κ^4O ,N,O':O'']

Gang-Hong Pan, Jin-Niu Tang, Zhong-Jing Huang, Yi-Fan Liao and Bo-Fa Mo

Comment

Cd(II) ion with d¹⁰ electronic configuration exhibits a wide variety of coordination geometries and modes, which can induce versatile structural topologies (Brusau *et al.*, 2001). A large number of metal-organic compounds based on Cd(II) have been reported. However, to the best of our knowledge, only the structure of a Cd(II) complex with benzimidazole and iminodiacetate (IDA) ligands has been reported so far (Su & Xu, 2005). We report here the structure of a Cd(II) iminodiacetate coordination polymer.

In the title complex (Fig. 1), the Cd^{II} atom exhibits a distorted octahedral coordination geometry defined by one N atom and two atoms from an IDA ligand, one O atom from another IDA and two water molecules. The five membered chelating ring generated by O1—C1—C2—N1—Cd1 is nearly planar, with a largest deviation of -0.093 (16) from C2 to the mean plane, while the O4—C4—C3—N1—Cd1 chelating ring shows largest deviations of -0.440 (16) for C3 and 0.304 (11) for N1 in the opposite directions from the mean plane. The dihedral angle between the two chelating ring planes is 82.4 (3)°. The bond distances of Cd—O and Cd—N are comparable to those in [(benzimidazole)₃(IDA)Cd.2H₂O] (Su & Xu, 2005). However, these bond distances are 0.06–0.19Å longer than the values in a reported Mn(II) analogs (Zhang & Lu, 2004). The IDA ligand bridges two Cd^{II} atoms, forming a zigzag chain along [001] (Fig. 2). A three-dimensional network is completed by intermolecular O—H···O and N—H···O hydrogen bonds (Fig. 3).

Experimental

A mixture of iminodiacetic acid (0.067 g, 0.5 mmol), CdSO₄.8H₂O (0.208 g, 1 mmol), NaOH (0.040 g, 1 mmol) and water (15 ml) was sealed in a Teflon-lined stainless steel vessel (25 cm³), and then the vessel was heated at 403 K for 3 days. After the mixture was slowly cooled to room temperature, colorless block-shaped crystals of the title compound were obtained. Analysis, calculated for C₄H₉CdNO₆: C 17.19, H 3.25, N 5.01%; found: C 17.16, H 3.33, N 5.08%.

Refinement

H atoms bonded to C and N atoms were positioned geometrically and refined as riding atoms, with C—H = 0.97 and N—H = 0.91 Å and with $U_{iso}(H) = 1.2U_{eq}(C, N)$. H atoms of water molecules were located in a difference Fourier map and refined as riding, with O—H = 0.85 Å and $U_{iso}(H) = 1.2U_{eq}(O)$. The maximum remaining electron density is found 1.13 Å from Cd1 and the minimum density 1.43 Å from O2.

Computing details

Data collection: *SMART* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT* (Bruker, 2007); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *DIAMOND* (Brandenburg, 1999); software used to prepare material for publication: *SHELXTL* (Sheldrick, 2008).

Acta Cryst. (2013). E69, m416 Sup-1




Figure 1 The asymmetric unit of the title compound. Displacement ellipsoids are drawn at the 30% probability level. [Symmetry code: (i) -x, -y, -1/2+z.]




Figure 2
Perspective view of the chains in the title compound.

Acta Cryst. (2013). E69, m416 sup-2




Figure 3Crystal packing of the title compound, showing intermolecular hydrogen-bonding interactions (dashed lines).

catena-Poly[(diaquacadmium)- μ -iminodiacetato- κ^4O ,N,O':O'']

Crystal data

[Cd(C₄H₅NO₄)(H₂O)₂] $M_r = 279.52$ Orthorhombic, $Pca2_1$ Hall symbol: P 2c -2ac a = 14.6600 (3) Å b = 5.4905 (2) Å c = 9.7928 (3) Å V = 788.23 (4) Å³ Z = 4

Data collection

Bruker SMART 1000 CCD diffractometer Radiation source: fine-focus sealed tube Graphite monochromator φ and ω scans Absorption correction: multi-scan (SADABS; Sheldrick, 1996) $T_{min} = 0.582$, $T_{max} = 0.666$

F(000) = 544 $D_x = 2.355 \text{ Mg m}^{-3}$ Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ Å}$ Cell parameters from 1202 reflections $\theta = 2.8-22.1^{\circ}$ $\mu = 2.76 \text{ mm}^{-1}$ T = 296 KBlock, colorless $0.22 \times 0.17 \times 0.16 \text{ mm}$

3775 measured reflections 1303 independent reflections 1173 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.036$ $\theta_{\text{max}} = 25.0^{\circ}, \ \theta_{\text{min}} = 2.8^{\circ}$ $h = -17 \rightarrow 16$ $k = -6 \rightarrow 6$ $l = -9 \rightarrow 11$

Acta Cryst. (2013). **E69**, m416

Refinement

Refinement on F^2 Least-squares matrix: full $R[F^2 > 2\sigma(F^2)] = 0.047$

 $wR(F^2) = 0.164$

S = 1.09

1303 reflections

109 parameters

1 restraint

Primary atom site location: structure-invariant

direct methods

Secondary atom site location: difference Fourier

man

Hydrogen site location: inferred from

neighbouring sites

H-atom parameters constrained

 $w = 1/[\sigma^2(F_0^2) + (0.0941P)^2 + 9.9695P]$

where $P = (F_0^2 + 2F_c^2)/3$

 $(\Delta/\sigma)_{\text{max}} \leq 0.001$

 $\Delta \rho_{\text{max}} = 2.05 \text{ e Å}^{-3}$

 $\Delta \rho_{\min} = -1.23 \text{ e Å}^{-3}$

Absolute structure: Flack (1983), 566 Friedel

pairs

Flack parameter: 0.04 (14)

Special details

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R-factor wR and goodness of fit S are based on F^2 , conventional R-factors R are based on F, with F set to zero for negative F^2 . The threshold expression of $F^2 > 2 \operatorname{sigma}(F^2)$ is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on F^2 are statistically about twice as large as those based on F, and R- factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\mathring{A}^2)

	x	y	z	$U_{ m iso}$ */ $U_{ m eq}$	
Cd1	0.05597 (5)	0.13193 (15)	0.74648 (19)	0.0292 (3)	
O1	0.1596 (8)	-0.1730(19)	0.7032 (11)	0.040(3)	
O2	0.2833 (7)	-0.3435(19)	0.7786 (12)	0.043 (4)	
O3	0.0546 (7)	0.1227 (18)	1.1908 (13)	0.037 (3)	
O4	0.0357 (7)	-0.022(2)	0.9811 (12)	0.039 (2)	
O5	0.1075 (9)	0.406(2)	0.5878 (11)	0.042 (3)	
H5A	0.1248	0.5351	0.6279	0.051*	
H5B	0.0880	0.4441	0.5090	0.051*	
O6	-0.0422(7)	0.4382 (19)	0.8246 (11)	0.032 (2)	
H6A	-0.0969	0.3891	0.8160	0.039*	
H6B	-0.0378	0.5765	0.7861	0.039*	
N1	0.1820(8)	0.229(2)	0.8812 (13)	0.027 (2)	
H1	0.2099	0.3623	0.8448	0.032*	
C1	0.2288 (10)	-0.184(3)	0.7810 (15)	0.033 (4)	
C2	0.2468 (10)	0.026(3)	0.8802 (17)	0.033 (3)	
H2A	0.2493	-0.0406	0.9718	0.040*	
H2B	0.3067	0.0920	0.8600	0.040*	
C3	0.1468 (10)	0.294(3)	1.0168 (15)	0.027 (3)	
Н3А	0.1204	0.4559	1.0135	0.033*	
Н3В	0.1967	0.2967	1.0818	0.033*	
C4	0.0744 (10)	0.112(2)	1.0644 (17)	0.027 (3)	

Acta Cryst. (2013). E69, m416 Sup-4

supplementary materials

Atomic displacement parameters (\mathring{A}^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Cd1	0.0289 (5)	0.0255 (5)	0.0333 (5)	-0.0008 (3)	-0.0017 (7)	-0.0014 (6)
O1	0.035(6)	0.032(6)	0.054(8)	0.005 (4)	-0.012(5)	-0.017(4)
O2	0.030(5)	0.047 (6)	0.054 (11)	0.008 (4)	-0.004(5)	-0.017(5)
О3	0.046 (7)	0.031(6)	0.033 (6)	-0.006(4)	0.010(4)	0.004 (4)
O4	0.046 (6)	0.029(6)	0.041 (6)	-0.013 (5)	-0.007(5)	0.001 (5)
O5	0.071 (9)	0.027(6)	0.028 (6)	-0.012 (5)	-0.008(5)	0.002 (4)
O6	0.043 (6)	0.020(5)	0.034(6)	0.000(4)	0.003 (4)	0.001 (4)
N1	0.032 (6)	0.021 (5)	0.029(6)	-0.003(5)	0.002 (5)	-0.001(5)
C1	0.033 (7)	0.021(7)	0.044 (13)	-0.010 (6)	0.001 (6)	0.009 (6)
C2	0.029(7)	0.027(7)	0.043 (8)	0.003 (6)	-0.001 (6)	-0.011 (7)
C3	0.039(8)	0.012 (6)	0.031 (8)	-0.005 (6)	0.006 (6)	-0.004(5)
C4	0.031 (7)	0.016 (7)	0.032 (7)	0.000 (5)	-0.001 (6)	0.010(6)

Geometric parameters (Å, °)

O5—H5B	0.8500
O6—H6A	0.8501
O6—H6B	0.8500
N1—C2	1.463 (18)
N1—C3	1.468 (18)
N1—H1	0.9100
C1—C2	1.53 (2)
C2—H2A	0.9700
C2—H2B	0.9700
C3—C4	1.531 (19)
С3—Н3А	0.9700
С3—Н3В	0.9700
C2—N1—C3	114.8 (12)
C2—N1—Cd1	109.6 (8)
C3—N1—Cd1	106.8 (8)
C2—N1—H1	108.5
C3—N1—H1	108.5
Cd1—N1—H1	108.5
O2—C1—O1	124.1 (14)
O2—C1—C2	117.0 (13)
O1—C1—C2	118.8 (13)
N1—C2—C1	117.8 (12)
N1—C2—H2A	107.9
C1—C2—H2A	107.9
N1—C2—H2B	107.9
C1—C2—H2B	107.9
H2A—C2—H2B	107.2
N1—C3—C4	111.1 (12)
N1—C3—H3A	109.4
C4—C3—H3A	109.4
N1—C3—H3B	109.4
	O6—H6A O6—H6B N1—C2 N1—C3 N1—H1 C1—C2 C2—H2A C2—H2B C3—C4 C3—H3A C3—H3B C2—N1—C3 C2—N1—Cd1 C3—N1—Cd1 C3—N1—H1 Cd1—N1—H1 O2—C1—O1 O2—C1—C2 O1—C1—C2 N1—C2—H2A C1—C2—H2A N1—C2—H2B C1—C2—H2B H2A—C2—H2B N1—C3—C4 N1—C3—H3A

Acta Cryst. (2013). E69, m416 sup-5

supplementary materials

Cd1—O5—H5B	131.9	C4—C3—H3B	109.4
H5A—O5—H5B	108.3	H3A—C3—H3B	108.0
Cd1—O6—H6A	108.7	O4—C4—O3	124.4 (14)
Cd1—O6—H6B	116.8	O4—C4—C3	120.4 (14)
H6A—O6—H6B	108.1	O3—C4—C3	115.0 (13)

Symmetry codes: (i) -x, -y, z-1/2; (ii) -x, -y, z+1/2.

Hydrogen-bond geometry (Å, o)

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	$H\cdots A$	D··· A	<i>D</i> —H··· <i>A</i>
O5—H5 <i>A</i> ···O1 ⁱⁱⁱ	0.85	1.84	2.685 (15)	176
O5—H5 <i>B</i> ···O6 ^{iv}	0.85	2.03	2.880 (15)	176
O6—H6 <i>A</i> ···O2 ^v	0.85	1.81	2.649 (14)	168
O6—H6 <i>B</i> ···O3 ^{iv}	0.85	1.91	2.750 (15)	168
N1—H1···O2 ⁱⁱⁱ	0.91	2.05	2.953 (16)	174

Symmetry codes: (iii) x, y+1, z; (iv) -x, -y+1, z-1/2; (v) x-1/2, -y, z.

Acta Cryst. (2013). E**69**, m416 sup-6